


Inclined Pin Type with Dowel Pin Hole


FOR LOOSE CORE

RoHS

KOPE



KOPNE (No machining for loosening lock)




Material : SUJ2 (T B1 A 52100)
 --- Area to be Induction Hardened
 (HRC58 or more)
 depth 0.8 ~ 2.0mm

Inclined Pin Width Across Flats Type


FOR LOOSE CORE

RoHS

KOPF



KOPNF (No machining for loosening lock)



Material : SUJ2 (T B1 A 52100)
 --- Area to be Induction Hardened
 (HRC58 or more)
 depth 0.8 ~ 2.0mm

D g6	T	H	Ma×La	E	Catalog No.	D	L Increments of 1mm	S Increments of 1mm	K
16	-0.006 -0.017	13	14	M 8×20	30		16	10 ~ 25	6
20		17	17	M10×25	40		20	10 ~ 35	8
25	-0.007 -0.020	22	18		50	KOPE KOPNE	100 ~ 1000	15 ~ 40	10
30		27	19	M12×25	60			30	
35	-0.009 -0.025	31	19				35	20 ~ 45	13
40		36	20	M16×35			40		16

Order

Catalog No.	D	L	S	K
KOPE	16	300	S15	K6
KOPNE	25	600	S35	K10

D g6	T	H	Ma×La	E	Catalog No.	D	L Increments of 1mm	S Increments of 1mm	W Selection
10	-0.005 -0.014	8.5	7	M 5×10	20		10	10 ~ 25	6 8
12	-0.006 -0.017	10	8.5	M 6×15	30	KOPF KOPNF	100 ~ 1000	10 ~ 35	8 10
16		13	14	M 8×20	40			16	
20		17	17	M10×25	50		20		14 16 18
25	-0.007 -0.020	22	18		60		25	20 ~ 25	19 21 23
30		27	19	M12×25			30		22 24 26

Order

Catalog No.	D	L	S	W
KOPF	16	300	S15	W14
KOPNF	25	600	S30	W21